Lexmark C792 Family colour laser printers



Flexible, robust colour printing

Models



Lexmark C792 Family

The Lexmark C792 Family colour laser printers combine robust design with brilliant colour printing, exceptional media handling, flexible finishing options

and an intuitive colour touch screen.

C792e model.

Touch screen

Solutions

Up to 47 ppm

* Duplex not available on

Other available models:

Lexmark C792e: Enjoy the benefits of workgroup colour laser printing through a robust design combined with exceptional media handling and an intuitive colour touch screen.

Lexmark C792de: Includes duplex

Lexmark C792dte: Includes duplex and additional 550-sheet drawer

Lexmark C792dhe: Includes duplex, hard disk, three 550-sheet trays,1GB memory and caster base



Lexmark C792 Family: key features



Features that help you optimise your work



1) Intuitive colour touch screen

The 4.3-inch (10.9 cm) colour touch screen allows you to operate your printer with ease and confidence through smart and intuitive navigation, easy access to workflow solutions and shortcuts, and the ability to preview your documents and print jobs at the device.



2) Flexible output options

Choose from four output options, including a five-bin mailbox, an offset stacker, a staple finisher, and a staple with hole punch finisher.



3) Direct USB

A front USB port allows for convenient walk-up preview and printing and is compatible with most printable image file formats.



4) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



5) Expandable input

Print on multiple paper types and boost total capacity up to 3,200 sheets.



6) Long-lasting toner

The Lexmark Extra High Yield Print Cartridge delivers up to 20,000* pages, reducing interventions, cartridge waste and cost.



7) Eco-friendly features

Easy-to-access features make it easy to print responsibly, including Eco-Mode to reduce paper and toner consumption, and the Sleep button to help you save energy.

^{*}Average continuous black or composite CMY declared cartridge yield in accordance with ISO/IEC 19798.

Lexmark C792 Family: overview



Robust Colour Printing

Designed for medium to large workgroups, the Lexmark C792 Family meets the demands of your busy colour-printing environment. Vibrant, professional-quality output and the ability to print on a wide variety of media allow you to do more colour printing in-house. With the advanced colour laser technology of the C792 Family, you'll get excellent, consistent colour from the first page to the last.

- Lexmark Extra High Yield Print Cartridge available, offering yields of up to 20,000* pages
- Print and duplex** speeds as fast as 50/47 ppm in both black and colour
- PANTONE® calibration for consistent colour tones
- Named Color Replacement for easy colour matching
- Lexmark Color Care Technology to manage colour usage and control costs
- Instant warm-up fuser to help reduce energy consumption and improve time to first page



Flexibility

Choose from a variety of models to best serve your needs. Select from a number of expandability options and finishing features you would expect from more expensive products.

- Ultra-reliable paper feeding to support diverse media, including card stock, labels, UV-resistant outdoor media, banner media and more
- Robust output options, including a five-bin user-assignable mailbox, an offset stacker, a staple finisher, and a staple with hole punch finisher
- Input capacity expandable to up to 3,200 sheets with the high-capacity feeder and an extra drawer
- Connectivity and application solution cards allow integration into most IT environments



Easy and Intuitive

The Lexmark C792 Family is designed for easy operation and maintenance.

- 4.3-inch (10.9 cm) colour touch screen provides audible feedback to make completing tasks intuitive
- Print Preview features help you select documents or specific pages within a document
- Directional lights on the device provide visual cues to guide you through tasks and maintenance operations
- Ability to change settings such as duplex** or stapling at the device
- Available device fleet management software
- Sleep button and Hibernate Mode, helping to reduce energy costs

^{*}Average continuous black or composite CMY declared cartridge yield in accordance with ISO/IEC 19798.

^{**} Duplex not available on C792e model.

Lexmark C792 Family: solutions

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their turnover on printing, and that active print management can cut office print costs by up to 30%*, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.



Solutions

Save time and money through solutions

Reduce unnecessary printing and simplify work processes with Lexmark solutions. The C792 Family features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

Below are solutions that come preloaded on the C792 Family. A diverse portfolio of additional Lexmark solutions is available to help accommodate your workflow needs.



Forms and Favourites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Background and Idle Screen

Change the touch screen background to your corporate logo, a unique message, or select one of the four screens that are preloaded on the device.



Eco-Settings

Choose from multiple print settings that help reduce energy, paper and toner consumption.



Change Language**

Easily switch the language displayed on the touch screen – 18 languages supported.



Showroom

Display a customisable, scrolling slideshow on the colour touch screen to promote your business or products, or to communicate important messages to your customers or employees.

^{*} Source: InfoTrends/CapVentures., «Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service», August, 2008

^{**} Option to Change Language during installation

Lexmark C792 Family: highlights

Make a lasting impression with awardwinning colour

The documents you print define an important image – yours. That's why Lexmark colour lasers help businesses be more productive and stand out with vibrant colour. With the ability to print professional quality colour in-house, you can add instant impact and save costs by virtually eliminating the need to outsource print jobs. Lexmark also offers a host of colour-access and control tools to manage



Functions



The right touch

The Lexmark e-Task colour touch screen is a key access point to your printer. The customisable 4.3-inch (10.9 cm) interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions, shortcuts and workflows you use most. New interactive sensory features provide audible feedback, helping to guide you through each operation, confirming a touch has registered and indicating an action is transpiring.



Protecting your information

From the data traveling through your network to the pages being printed, Lexmark's innovative security controls give you peace of mind that your valuable corporate data is protected at every stage.

- Cutting-edge user authentication and authorisation controls, including LDAP, help protect your device and data
- Card reader option to add an extra layer of security
- Hard disk encryption protects sensitive data on the disk drive
- Automatic, scheduled or manual disk wiping
- IPSec, SNMPv3 and 802.1x network security supported
- Security-audit logging to help track and identify security risks




True Image Always

Lexmark is dedicated to designing and manufacturing products that deliver exceptional quality and reliable performance. Maximise the return on your investment, extend the service life of your Lexmark printing equipment, and make a lasting impression by always insisting on Lexmark Genuine Supplies, Service and Parts. Lexmark C792 Family colour laser printers are backed by a one-year base guarantee. For further protection against unexpected expenses or downtime, extended guarantee offerings are available.

Lexmark C792 Family: ordering information

Lexmark C792de





550-Sheet Drawer



550-Sheet Drawer 2,000-Sheet High-capacity



Spacer



Caster Base (Required for floor standing configuration)







500-Sheet Staple Punch Finisher







Eco-responsible printing

Printing responsibly means everyone wins – your business, your budget and the environment. Lexmark's award-winning products are designed for ease of use, high quality output and reliable performance, with innovative capabilities that help you minimize the number of cartridges you use over the life of the printer and conserve paper and energy. Our goal is to design, package and deliver innovative products and solutions in an environmentally responsible manner.

Lexmark C792 Family: ordering information

Lexmark C792e

| Part # | Model |
|--|---|
| 47B0070 | Lexmark C792e |
| Part # | Laser Toner/Print Cartridge |
| C792X1KG C792X1CG C792X1MG C792X1YG C792A1KG C792A1CG C792A1MG C792X2KG C792X2KG C792X2CG C792X2CG C792X2MG C792X2YG | C792 Black Extra High Yield Return Program Print Cartridge (20K) C792 Cyan Extra High Yield Return Program Print Cartridge (20K) C792 Magenta Extra High Yield Return Program Print Cartridge (20K) C792 Wiellow Extra High Yield Return Program Print Cartridge (20K) C792, X792 Black Return Program Print Cartridge (6K) C792, X792 Black Return Program Print Cartridge (6K) C792, X792 Wagenta Return Program Print Cartridge (6K) C792, X792 Wiellow Return Program Print Cartridge (6K) C792 Black Extra High Yield Print Cartridge (20K) C792 Cyan Extra High Yield Print Cartridge (20K) C793 Wagenta Extra High Yield Print Cartridge (20K) C793 Wagenta Extra High Yield Print Cartridge (20K) C793 Wagenta Extra High Yield Print Cartridge (20K) |
| C792X77G 25A0013 | C792, X792 Waste Toner Bottle Staple Cartridges (3 pack) |
| | , |
| Part # | Paper Handling |
| 47B0110 47B0111 47B1101 | C792, X792 550-Sheet Drawer C792, X792 2000-Sheet High Capacity Feeder C792, X792 5-Bin Mailbox |

| 47B1102 | C792, X792 500-Sheet Offset Stacker |
|----------|--|
| 47B1100 | C792, X792 500-Sheet Staple Finisher |
| 47B1103 | C792, X792 500-Sheet Staple, Hole Punch Finisher |
| 47B0112 | C792, X792 Spacer |
| 47B0113 | C792, X792 Banner Media Tray |
| Part # | Furniture |
| 47B0114 | C792, X792 Caster Base |
| | |
| Part # | Extended Warranties |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353756P | C792 4-Years Total (1+3) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353756P | C792 4-Years Total (1+3) Onsite Service |

In the box

In the box Lexmark C792e colour laser printer, Up to 11,000*-page Cyan, Magenta, Yellow Starter Print Cartridges, Up to 8,500*-page Black Starter Print Cartridge, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

Lexmark C792de

| Part # | Model |
|---|---|
| 47B0071 | Lexmark C792de |
| Part # | Laser Toner/Print Cartridge |
| C792X1KG C792X1CG C792X1MG C792X1YG C792A1KG C792A1CG C792A1MG C792X2MG C792X2CG C792X2MG C792X2MG C792X2YG C792X2YG C792X7TG 25A0013 | C792 Black Extra High Yield Return Program Print Cartridge (20K) C792 Cyan Extra High Yield Return Program Print Cartridge (20K) C792 Magenta Extra High Yield Return Program Print Cartridge (20K) C792 Magenta Extra High Yield Return Program Print Cartridge (20K) C792 K792 Black Return Program Print Cartridge (6K) C792 K792 Black Return Program Print Cartridge (6K) C792 K792 Wagenta Return Program Print Cartridge (6K) C792 K792 Wellow Return Program Print Cartridge (6K) C792 K792 Wellow Return Program Print Cartridge (2K) C792 Black Extra High Yield Print Cartridge (20K) C792 Magenta Extra High Yield Print Cartridge (20K) C792 Wagenta Extra High Yield Print Cartridge (20K) C792 Waste Toner Bottle Staple Cartridges (3 pack) |
| Part # | Paper Handling |
| 47B0110 47B0111 47B1101 | C792, X792 550-Sheet Drawer C792, X792 2000-Sheet High Capacity Feeder C792, X792 5-Bin Mailbox |

| 47B1102 | C792, X792 500-Sheet Offset Stacker |
|----------|--|
| 47B1100 | C792, X792 500-Sheet Staple Finisher |
| 47B1103 | C792, X792 500-Sheet Staple, Hole Punch Finisher |
| 47B0112 | C792, X792 Spacer |
| 47B0113 | C792, X792 Banner Media Tray |
| Part # | Furniture |
| 47B0114 | C792, X792 Caster Base |
| D | File of the control o |
| Part # | Extended Warranties |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353756P | C792 4-Years Total (1+3) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353754P | C792 2-Years Total (1+1) Onsite Service |
| 2353755P | C792 3-Years Total (1+2) Onsite Service |
| 2353756P | C792 4-Years Total (1+3) Onsite Service |

In the box Lexmark C792de colour laser printer, Up to 11,000*-page Cyan, Magenta, Yellow Starter Print Cartridges, Up to 8,500*-page Black Starter Print Cartridge, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

Lexmark C792dte

| Part # 47B0072 | Model Lexmark C792dte |
|---|--|
| Part # | Laser Toner/Print Cartridge |
| C792X1KG C792X1CG C792X1MG C792X1YG C792A1KG C792A1CG C792A1WG C792X1G C792X2KG C792X2CG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X2MG C792X3MG | C792 Black Extra High Yield Return Program Print Cartridge (20K) C792 Cyan Extra High Yield Return Program Print Cartridge (20K) C792 Magenta Extra High Yield Return Program Print Cartridge (20K) C792 Magenta Extra High Yield Return Program Print Cartridge (20K) C792 K792 Black Return Program Print Cartridge (6K) C792, X792 Black Return Program Print Cartridge (6K) C792, X792 Wagenta Return Program Print Cartridge (6K) C792, X792 Walgenta Return Program Print Cartridge (6K) C792 K792 Walgenta Return Program Print Cartridge (6K) C792 Black Extra High Yield Print Cartridge (20K) C792 Magenta Extra High Yield Print Cartridge (20K) C792 Magenta Extra High Yield Print Cartridge (20K) C792 Waste Toner Bottle Staple Cartridges (3 pack) |
| Part # | Paper Handling |
| 47B0110 47B0111 47B1101 | C792, X792 550-Sheet Drawer C792, X792 2000-Sheet High Capacity Feeder C792, X792 5-Bin Mailbox |

| 47B1102 47B1100 47B1103 47B0112 47B0113 | C/92, X/92 500-Sheet Stagle Finisher C792, X792 500-Sheet Staple, Finisher C792, X792 500-Sheet Staple, Hole Punch Finisher C792, X792 Spacer C792, X792 Banner Media Tray |
|---|--|
| Part # | Furniture |
| 47B0114 | C792, X792 Caster Base |
| Part # | Extended Warranties |
| 2353754P 2353755P 2353756P | C792 2-Years Total (1+1) Onsite Service C792 3-Years Total (1+2) Onsite Service C792 4-Years Total (1+3) Onsite Service |
| 2353758P | C792 1-Year Onsite Service Renewal |
| 2353758P Part # | C/92 1-Year Unsite Service Renewal Installation Service |

In the box
Lexmark C792de colour laser printer, Up to
11,000°-page Cyan, Magenta, Yellow Starter
Print Cartridges, Up to 8,500°-page Black Starter
Print Cartridge, 550-Sheet drawer, Software and
Documentation CD, Power Cord(s), Setup Guides
(network and local attachment), Statement of limited
warranty / guarantee, Lexmark Cartridge Collection
Program information

Lexmark C792dhe

| Part # | Model |
|--|---|
| 47B0073 | Lexmark C792dhe |
| Part # | Laser Toner/Print Cartridge |
| C792X1KG C792X1CG C792X1MG C792X1YG C792A1KG C792A1MG C792A1MG C792X2KG C792X2KG C792X2CG C792X2WG C792X2YG C792X2YG C792X2YG C792X2YG C792X77G | C792 Black Extra High Yield Return Program Print Cartridge (20K) C792 Cyan Extra High Yield Return Program Print Cartridge (20K) C792 Magenta Extra High Yield Return Program Print Cartridge (20K) C792 Magenta Extra High Yield Return Program Print Cartridge (20K) C792 X792 Black Return Program Print Cartridge (6K) C792 X792 Cyan Return Program Print Cartridge (6K) C792 X792 Viallow Return Program Print Cartridge (6K) C792 X792 Vellow Return Program Print Cartridge (6K) C792 Black Extra High Yield Print Cartridge (20K) C792 Black Extra High Yield Print Cartridge (20K) C792 Vellow Extra High Yield Print Cartridge (20K) C792 X792 Waste Toner Bottle Staple Cartridges (3 pack) |
| Part # | Paper Handling |
| 47B1101 47B1102 47B1100 | C792, X792 5-Bin Mailbox C792, X792 500-Sheet Offset Stacker C792, X792 500-Sheet Staple Finisher |

| 47B1103 47B0113 | C792, X792 500-Sheet Staple, Hole Punch Finisher C792, X792 Banner Media Tray |
|--|---|
| Part # | Extended Warranties |
| 2353754P 2353755P 2353756P 2353758P | C792 2-Years Total (1+1) Onsite Service C792 3-Years Total (1+2) Onsite Service C792 4-Years Total (1+3) Onsite Service C792 1-Year Onsite Service Renewal |
| Part # | Installation Service |
| 2353761 | C792 Installation Service |

In the box
Lexmark C792de colour laser printer, Up to
11.000*-page Cyan, Magenta, Yellow Starter
Print Cartridges, Up to 8,500*-page Black Starter
Print Cartridge, Hard disk, 3x 550-Sheet drawers,
Caster base, Software and Documentation CD,
Power Cort(s), Setup Guides (network and local
attachment), Statement of limited warranty /
guarantee, Lexmark Cartridge Collection Program
information

Lexmark C792 Family: product specifications

| | Lexmark C792e | Lexmark C792de | Lexmark C792dte | Lexmark C792dhe |
|---|--|---|---|--|
| Printing | | | | |
| Print Technology | | Color | Laser | |
| Print Speed (A4, Black): Up to | 47 ppm | | | |
| Print Speed (A4, Colour): Up to | 47 ppm | | | |
| Time to First Page (Black) | As fast as 8 seconds | | | |
| Time to First Page (Colour) | | As fast as 8 | .5 seconds | |
| Print Resolution, Black | | 1200 x 1200 dpi, 4800 Co | lor Quality (2400 x 600 dpi) | |
| Print Resolution, Colour | | 1200 x 1200 dpi, 4800 Colour Quality (2400 x 600 dpi) | | |
| Memory, Standard | 512 MB | 512 MB 512 MB 1024 MB | | 1024 MB |
| Memory, Maximum | | 1536 MB | | |
| Hard Disk | Option available | Option available | Option available | Included in configuration |
| Acoustics/Noise level (Operating mode) | 53 dBA | | | |
| Acoustics/Noise level (Idle mode) | | 29 (| dBA | |
| Maximum Monthly Duty Cycle: Up to | | 150000 page | es per month | |
| Recommended Monthly Page Volume | | 2500 - 170 | 000 pages | |
| Supplies | | | | |
| Supplies Yield | 6,00 | 0*-page (CMYK) Print Cartridges, 20,000* | -page (CMYK) Extra High Yield Print Cartri | dges |
| (*Average continuous black or continuous | | | | |
| composite CMY declared cartridge yield up to | | | | |
| this number of standard pages in accordance | | | | |
| with ISO/IEC 19798.) | | | | |
| Paper Handling | | | | |
| Paper Handling Standard | 500-Sheet Output Bin, 100-Sheet | 500-Sheet Output Bin, Integrated Du- | 500-Sheet Output Bin, Integrated | 500-Sheet Output Bin, Integrated Du |
| | Multipurpose Feeder, 550-Sheet | plex, 100-Sheet Multipurpose Feeder, | Duplex, 100-Sheet Multipurpose | plex, 100-Sheet Multipurpose Feede |
| | Input Tray | 550-Sheet Input Tray | Feeder, 550-Sheet Drawer, 550-Sheet | 550-Sheet Input Tray, 3 x 550-Sheet |
| | | | 1 . T | |
| Paper Handling Optional | | | Input Tray | Drawers |
| . apo. Hallaning Optional | 5-Bin Mailbox, 550-Sheet Drawer, Op- | 5-Bin Mailbox, 550-Sheet Drawer, Op- | 5-Bin Mailbox, 550-Sheet Drawer, | Drawers 5-Bin Mailbox, Banner Media Tray, |
| . apo. Handing Optional | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., 2,000-Sheet | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., 2,000-Sheet | ' ' | 5-Bin Mailbox, Banner Media Tray, |
| . apo. Hariding Optional | | | 5-Bin Mailbox, 550-Sheet Drawer, | 5-Bin Mailbox, Banner Media Tray, |
| . aps. running Spublici | tional furniture required., 2,000-Sheet | tional furniture required., 2,000-Sheet | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee |
| . sp. running opinia | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee Staple Finisher, 500-Sheet Staple |
| . sp. running Spunial | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee Staple Finisher, 500-Sheet Staple |
| Paper Input Capacity, Standard: Up to | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple |
| | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee Staple Finisher, 500-Sheet Staple Punch Finisher |
| Paper Input Capacity, Standard: Up to | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond |
| Paper Input Capacity, Standard: Up to Paper Input Capacity, Maximum: Up to | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond abels, Plain Paper, Polyester Labels, Trans | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond |
| Paper Input Capacity, Standard: Up to Paper Input Capacity, Maximum: Up to | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond , Glossy paper, Integrated Labels, Paper L | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond abels, Plain Paper, Polyester Labels, Trans | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond |
| Paper Input Capacity, Standard: Up to Paper Input Capacity, Maximum: Up to Media Types Supported General | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond , Glossy paper, Integrated Labels, Paper L | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond abels, Plain Paper, Polyester Labels, Trans door Media, Banner Paper | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond |
| Paper Input Capacity, Standard: Up to Paper Input Capacity, Maximum: Up to Media Types Supported General | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond , Glossy paper, Integrated Labels, Paper L Stock & Label Guide, Outc | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond abels, Plain Paper, Polyester Labels, Trans door Media, Banner Paper | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond |
| Paper Input Capacity, Standard: Up to Paper Input Capacity, Maximum: Up to Media Types Supported General Function | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond , Glossy paper, Integrated Labels, Paper L Stock & Label Guide, Outc | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond abels, Plain Paper, Polyester Labels, Trans door Media, Banner Paper Printing e, Next Business Day | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond |
| Paper Input Capacity, Standard: Up to Paper Input Capacity, Maximum: Up to Media Types Supported General Function Product Guarantee Product Certifications | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond Card Stock, Dual Web Labels, Envelopes, | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond , Glossy paper, Integrated Labels, Paper L Stock & Label Guide, Outc Color F 1-Year Onsite Service www.lexn | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond abels, Plain Paper, Polyester Labels, Trans door Media, Banner Paper Printing e, Next Business Day nark.com | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond sparencies, Vinyl Labels, Refer to the Ca |
| Paper Input Capacity, Standard: Up to Paper Input Capacity, Maximum: Up to Media Types Supported General Function Product Guarantee | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond Card Stock, Dual Web Labels, Envelopes, | tional furniture required., 2,000-Sheet High-capacity Feeder, 500-Sheet Off- set Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 650 pages 75 gsm bond 3200 pages 75 gsm bond , Glossy paper, Integrated Labels, Paper L Stock & Label Guide, Outc | 5-Bin Mailbox, 550-Sheet Drawer, Optional furniture required., Banner Media Tray, 2,000-Sheet High-capac- ity Feeder, 500-Sheet Offset Stacker, 500-Sheet Staple Finisher, 500-Sheet Staple Punch Finisher 1200 pages 75 gsm bond 2650 pages 75 gsm bond abels, Plain Paper, Polyester Labels, Trans door Media, Banner Paper Printing e, Next Business Day nark.com | 5-Bin Mailbox, Banner Media Tray, 500-Sheet Offset Stacker, 500-Shee Staple Finisher, 500-Sheet Staple Punch Finisher 2300 pages 75 gsm bond 2300 pages 75 gsm bond sparencies, Vinyl Labels, Refer to the Ca |

Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Maximum Monthly Duty Cycle
«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Irademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further information, visit http://www.adobe.com/software/flash/about/



www.lexmark.com



